# EFFECT OF BIOCHAR MADE KITCHEN WASTE COMBINE WITH VERMICOMPOST ON THE GROWTH OF TOMATO (Solanum lycopersicum)

PLANT



BY

## W.A.VIDYA CHATHURANI



#### DEPARTMENT OF BIOSYSTEMS TECHNOLOGY

## FACULTY OF TECHNOLOGY

### **EASTERN UNIVERSITY**

## **SRI LANKA**

#### ABSTRACT

The pot experiment was carried out to study the effect of biochar-made kitchen waste combined with vermicompost on the growth of tomato (*Solanum lycopersicum*) plants.

This experiment was laid out in a Complete Randomized Design (CRD) with replicates having the following treatments:  $T_1$ - Control (1kg soil alone),  $T_2$ -200g vermicompost, + 200g kitchen wastes biochar + Soil 600g,  $T_3$ -vermicompost 150g + 400g kitchen wastes biochar + Soil 450g,  $T_4$ - 100g vermicompost + 600g kitchen wastes biochar + Soil 300g,  $T_5$ - 50g vermicompost + 800g kitchen wastes biochar + Soil 150g.

The results showed that different rates of biochar, and vermicompost had significant effects on some tested parameters of tomato over the control. The results revealed that the application of 100g vermicompost and 600g biochar (T<sub>4</sub>) had significant differences in plant height, the number of leaves and branches per plant, stem length, stem weight, root weight, and root length than other treatments.

Application of biochar mixed with vermicompost improves the growth of tomato plants in sandy regosol. The present study can be suggested that among the all tested treatments of biochar and vermicompost mix, the combination of 600g biochar and 100g vermicompost would be the suitable rate for optimum tomato plant growth.

# TABLE OF CONTENTS

ACKNOWLEDGEMENTiii
ABSTRACT iv
TABLE OF CONTENTSv
LIST OF TABLES
LIST OF FIGURES ix
CHAPTER 01 1
1. INTRODUCTION
1.1. Objectives
CHAPTER 02
2. REVIEW OF LITRETURE
2.1. Tomato (Solanum lycopersicum)
2.1.1. Origin
2.1.2 Scientific Classification
2.1.3 Morphological characteristics of tomato
2.1.3 Morphological characteristics of tomato52.1.4 Nutritional Composition of tomato5
2.1.3 Morphological characteristics of tomato52.1.4 Nutritional Composition of tomato52.2 Fertilizer application6
2.1.3 Morphological characteristics of tomato52.1.4 Nutritional Composition of tomato52.2 Fertilizer application62.2.1 Biochar
2.1.3 Morphological characteristics of tomato52.1.4 Nutritional Composition of tomato52.2 Fertilizer application62.2.1 Biochar72.2.1.1 Effect of Biochar on the growth of the plant8

2.2.2.1 Effect of vermicompost on the growth of the plant
CHAPTER 03 10
3. MATERIALS AND METHOD 10
3.1. Location
3.2. Climate and Soil10
3.3. Variety used
3.4. Experiment
3.4.1. Experimental design 11
3.4.2 Preparation of biochar and vermicompost mixture
3.4.2.1 Preparation of kitchen waste biochar 12
3.4.2.2 Preparation of vermicompost 12
3.5 Pot preparation13
3.6. Planting of tomato13
3.7 Measurements14
CHAPTER 04
4. RESULTS AND DISCUSSION
4.1 Measurements16
4.1.1 Plant height 16
4.1.2 Number of leaves per plant
4.1.3 Number of branches per plant

4.1.4 Stem length
4.1.5 Root length
4.1.6. Fresh weight of leaves
4.1.7 Fresh weight of stem
4.1.8 Dry weight of leaves
4.1.9 EC, pH, and MC of vermicompost and biochar mixture
CHAPTER 05
5. CONCLUSION
REFERENCES
APPENDIX

## LIST OF TABLES

Table 4.1: Biochar and Vermicompost application on average plant height of tomato
Table 4. 2: Biochar and Vermicompost application on the number of leaves tomato
plant
Table 4.3: Biochar and Vermicompost application on the number of branches of the
tomato
Table 4. 4: Biochar and Vermicompost application on average stem length of the plant
of tomato
Table 4. 5: Biochar and Vermicompost application on average root length of the plant
of tomato
Table 4.6 biochar and vermicompost application on average fresh weight of leaves of
the plant of tomato
Table 4. 7: Biochar and Vermicompost application on average fresh weight of stem the
plant of tomato
Table 4. 8: Table 4.8: Biochar and Vermicompost application on average dry weight
of the plant of tomato
Table 4.9: EC, pH, and MC of vermicompost and biochar mixture 28

# LIST OF FIGURES

Figure 3.1: Pod arrangement in the field	11
Figure 3.2: Kitchen waste biochar	12
Figure 3.3: Vermicompost	12
Figure 3.4: Detailed design of vermicompost unit	13
Figure 3.5: pH measurement	14